


ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE










ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE







ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



 1440 SQ FT HTD (1ST FLOOR)
 520 SQ FT (GARAGE)

 229 SQ FT HTD (2ND FLOOR)
 92 SQ FT (PORCH)

 1669 SQ FT HTD TOTAL
 176 SQ FT (DECK)

 788 UNHEATED TOTAL

FIRST FLOOR PLAN

SCALE 1/4"=1'-0"

9'-0" CLG. HGT.
SET WINDOWS AT 7'-10" AFF

## NOTES:

- CONSTRUCTION TO MEET OR EXCEED ALL REQUIREMENTS
  OF THE 2018 NC RESIDENTIAL BUILDING CODE
- 1. SEE SECTION R310 OF THE 2018 NC
  RESIDENTIAL BUILDING CODE FOR ALL
  EMERGENCY ESCAPE & RESCUE OPENING
  REQUIREMENTS.
  SEE SECTION R303 OF THE 2018 NC RESIDENTIAL
  BUILDING CODE FOR LIGHT & VENTILATION
- BUILDING CODE FOR LIGHT & VENTILATION REQUIREMENTS.

  SEE SECTION R310.1 & R311 OF THE 2018 NC RESIDENTIAL BUILDING CODE EGRESS REQUIREMENTS.
- 2. BUILDER & WINDOW SALESMAN TO CONFIRM THAT WINDOWS CHOSEN MEET ALL REQUIREMENTS OF SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE.
- 3. SEE SECTION R308.4 OF THE 2018 NC
  RESIDENTIAL BLDG. CODE FOR GLAZING
  REQUIREMENTS IN HAZARDOUS LOCATIONS
  4. PROVIDE FALL PROTECTION AT WINDOWS AS REQUIRED
- BY 2018 NC RESIDENTIAL BUILDING CODE

  5. ALL GLASS TO HAVE A U FACTOR OF 0.32 OR BETTER
- AND SHGC OF .30 OR BETTER.

  6. SEE CHAPTER 11 OF THE 2018 NC RESIDENTIAL
- BUILDING CODE FOR ALL ENERGY CONSERVATION
  REQUIREMENTS
- 7. SEE SECTION R302.5 & R302.6 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR DWELLING/ GARAGE FIRE SEPARATION REQUIREMENTS
- 8. SEE APPENDIX M OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL DECK CONSTRUCTION REQUIREMENTS
- 9. PROVIDE CARBON MONOXIDE DETECTORS
  AS PER SECTION R315 OF THE 2018 NC RESIDENTIAL
  BUILDING CODE
- 10. PROVIDE CRAVVLSPACE ACCESS AS PER SECTION 408.8
  OF THE 2018 NC RESIDENTIAL BUILDING CODE
  LOCATION T.B.D. IN FIELD BY BUILDER.
- 11. PROVIDE FOUNDATION DRAINAGE AS PER CODE. SEE SECTIONS 405, 801.3 & 401.3 OF THE


2018 NC RESIDENTIAL BUILDING CODE.

- 12. SEE SECTION R311.7 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL STAIRWAY REQUIREMENTS.


  SEE SECTION R312 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL GUARD RAIL & HAND RAIL REQUIREMENTS.
- 13. SEE SECTION R307 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL BATH FIXTURE CLEARANCES.

## **ABBREVIATIONS**

CANT.: CANTILEVER
C.O.: CASED OPENING
D.W.: DISHWASHER
W.I.C.: WALK IN CLOSET
SHWR.: SHOWER
DN.: DOWN
CANT.: CANTILEVER
TYP.: TYPICAL
CLG.: CEILING
HGT.: HEIGHT
COL.: COLUMN
TRANS.: TRANSOM



ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



SECOND FLOOR PLAN

SCALE 1/4"=1'-0"

8'-0" CLG. HGT.
SET WINDOWS AT 6'-8" AFF

