

NOTE:


ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE





FRONT ELEVATION

SCALE 1/4"=1'-0"










NOTE:

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



NOTES:

CONSTRUCTION TO MEET OR EXCEED ALL REQUIREMENTS
OF THE 2018 NC RESIDENTIAL BUILDING CODE

- 1. SEE SECTION R310 OF THE 2018 NC
 RESIDENTIAL BUILDING CODE FOR ALL
 EMERGENCY ESCAPE & RESCUE OPENING
 REOUREMENTS
- REQUIREMENTS.
 SEE SECTION R303 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR LIGHT & VENTILATION
- REQUIREMENTS.
 SEE SECTION R310.1 & R311 OF THE 2018 NC RESIDENTIAL BUILDING CODE EGRESS REQUIREMENTS.
- BUILDER & WINDOW SALESMAN TO CONFIRM THAT WINDOWS CHOSEN MEET ALL REQUIREMENTS OF SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE.
- 3. SEE SECTION R308.4 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR GLAZING REQUIREMENTS IN HAZARDOUS LOCATIONS
- 4. PROVIDE FALL PROTECTION AT WINDOWS AS REQUIRED BY 2018 NC RESIDENTIAL BUILDING CODE
- 5. ALL GLASS TO HAVE A U FACTOR OF 0.32 OR BETTER AND SHGC OF .30 OR BETTER.
- 6. SEE CHAPTER 11 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL ENERGY CONSERVATION REQUIREMENTS
- 7. SEE SECTION R302.5 & R302.6 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR DWELLING/ GARAGE FIRE SEPARATION REQUIREMENTS
- 8. SEE APPENDIX M OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL DECK CONSTRUCTION REQUIREMENTS
- 9. PROVIDE CARBON MONOXIDE DETECTORS
 AS PER SECTION R315 OF THE 2018 NC RESIDENTIAL
 BUILDING CODE
- 10. PROVIDE CRAWLSPACE ACCESS AS PER SECTION 408.8
 OF THE 2018 NC RESIDENTIAL BUILDING CODE
 LOCATION T.B.D. IN FIELD BY BUILDER.
- 11. PROVIDE FOUNDATION DRAINAGE AS PER CODE. SEE SECTIONS 405, 801.3 & 401.3 OF THE
- 2018 NC RESIDENTIAL BUILDING CODE.

 12. SEE SECTION R311.7 OF THE 2018 NC RESIDENTIAL
 BUILDING CODE FOR ALL STAIRWAY REQUIREMENTS.

 SEE SECTION R312 OF THE 2018 NC RESIDENTIAL
 BUILDING CODE FOR ALL GUARD RAIL & HAND RAIL
- REQUIREMENTS.

 13. SEE SECTION R307 OF THE 2018 NC RESIDENTIAL
 BUILDING CODE FOR ALL BATH FIXTURE CLEARANCES.

ABBREVIATIONS

CANT.: CANTILEVER
C.O.: CASED OPENING
D.W.: DISHWASHER
W.I.C.: WALK IN CLOSET
SHWR.: SHOWER
DN.: DOWN


CANT.: CANTILEVER
TYP.: TYPICAL
CLG.: CEILING
HGT.: HEIGHT
COL.: COLUMN
TRANS.: TRANSOM

1292 SQ FT HTD (1ST FLOOR) 870 SQ FT HTD (2ND FLOOR) 2162 SQ FT HTD TOTAL


129 SQ FT (PORCH) 203 SQ FT (DECK) 248 SQ FT (COV. PORCH) <u>476 SQ FT (GARAGE)</u> 1056 UNHEATED TOTAL

FIRST FLOOR PLAN

SCALE 1/4"=1'-0" 9'-0" CLG. HGT. SET WINDOWS AT 7'-10" AFF



ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, NOTE: DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE



SECOND FLOOR PLAN SCALE 1/4"=1'-0" 9'-0" CLG. HGT. SET WINDOWS AT 7'-2" AFF



