ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE

PLANS DESIGNED TO THE 2018 NORTH CAROLINA RESIDENTIAL CODE

HOUSE DESIGNED FOR 115 MPH 3 SECOND GUST (89 FASTEST MILE), EXPOSURE B

ANCHOR BOLTS TO BE NO MORE THAN 6' O.C. AND WITHIN 12" OF ALL PLATES SPLICES ANCHOR BOLTS SHALL BE MIN. 1/2" DIAMETER & SHALL EXTEND A MINIMUM 7" INTO MASONRY OR CONCRETE


MEAN ROOF HEIGHT = < 30'-0"

ZONE 5

COMPONENT & CLADDING DESIGNED FOR THE FOLLOWING LOADS MEAN ROOF HEIGHT UP TO 30' 30'-1" - 35' 17.3, -18.9 18.0, -19.6 18.5, -20.2 ZONE 2 16.5, -21.0 17.3, -22.1 18.0, -22.9 18.5*, -*23.5 ZONE 3 16.5, -21.0 17.3, -22.1 18.0, -22.9 18.5, -23.5 ZONE 4 18.0, -19.5 18.9, -20.5 19.6, -21.3 20.2, -21.8

MINIMUM VALUES FOR ENERGY COMPLIANCE:

ZONE 4 MAX GLAZING U-FACTOR = 0.35 CEILING R-38 WALLS R-15 FLOORS R-19









NOTI

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE








## NOTE

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



FIRST FLOOR PLAN
SCALE 1/4"=1'-0"

9'-0" CLG. HGT. SET WINDOWS AT 7'-10" AFF

## NOTES:

- CONSTRUCTION TO MEET OR EXCEED ALL REQUIREMENTS
  OF THE 2018 NC RESIDENTIAL BUILDING CODE
- 1. SEE SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL EMERGENCY ESCAPE & RESCUE OPENING
- REQUIREMENTS.
  SEE SECTION R303 OF THE 2018 NC RESIDENTIAL
  BUILDING CODE FOR LIGHT & VENTILATION
  REQUIREMENTS.
- REQUIREMENTS.
  SEE SECTION R310.1 & R311 OF THE 2018 NC RESIDENTIAL BUILDING CODE EGRESS REQUIREMENTS.
- 2. BUILDER & WINDOW SALESMAN TO CONFIRM THAT WINDOWS CHOSEN MEET ALL REQUIREMENTS OF SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE.
- 3. SEE SECTION R308.4 OF THE 2018 NC
  RESIDENTIAL BLDG. CODE FOR GLAZING
  REQUIREMENTS IN HAZARDOUS LOCATIONS
  4. PROVIDE FALL PROTECTION AT WINDOWS AS REOU
- 4. PROVIDE FALL PROTECTION AT WINDOWS AS REQUIRED BY 2018 NC RESIDENTIAL BUILDING CODE
- 5. ALL GLASS TO HAVE A U FACTOR OF 0.32 OR BETTER AND SHGC OF .30 OR BETTER.
- 6. SEE CHAPTER 11 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL ENERGY CONSERVATION REQUIREMENTS
- 7. SEE SECTION R302.5 & R302.6 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR DWELLING/ GARAGE FIRE SEPARATION REQUIREMENTS
- 8. SEE APPENDIX M OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL DECK CONSTRUCTION REQUIREMENTS
- 9. PROVIDE CARBON MONOXIDE DETECTORS AS PER SECTION R315 OF THE 2018 NC RESIDENTIAL BUILDING CODE
- 10. PROVIDE CRAWLSPACE ACCESS AS PER SECTION 408.8
  OF THE 2018 NC RESIDENTIAL BUILDING CODE
  LOCATION T.B.D. IN FIELD BY BUILDER.
- 11. PROVIDE FOUNDATION DRAINAGE AS PER CODE.
  SEE SECTIONS 405, 801.3 & 401.3 OF THE

2018 NC RESIDENTIAL BUILDING CODE.

- 12. SEE SECTION R311.7 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL STAIRWAY REQUIREMENTS.

  SEE SECTION R312 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL GUARD RAIL & HAND RAIL REQUIREMENTS.
- 13. SEE SECTION R307 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL BATH FIXTURE CLEARANCES.

## ABBREVIATIONS\_\_\_

C.O.: CASED OPENING D.W.: DISHWASHER W.I.C.: WALK IN CLOSET SHWR.: SHOWER DN.: DOWN

CANT.: CANTILEVER
TYP.: TYPICAL
CLG.: CEILING
HGT.: HEIGHT
COL.: COLUMN
TRANS.: TRANSOM


1670 SQ FT HTD (1ST FLOOR) 255 SQ FT HTD (2ND FLOOR) 1925 SQ FT HTD TOTAL

506 SQ FT (GARAGE) 108 SQ FT (PORCH) 208 SQ FT (SCREEN PORCH) 822 UNHEATED TOTAL



NOTE

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



SECOND FLOOR PLAN

SCALE 1/4"=1'-0"

8'-0" CLG. HGT.
SET WINDOWS AT 6'-8" AFF

