NOTE

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE






FRONT ELEVATION

SCALE 1/4"=1'-0"


REAR ELEVATION SCALE 1/4"=1'.0"





NOTE:


ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



RIGHT ELEVATION


SCALE 1/4"=1'-0"





NOTE:

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



NOTES:

CONSTRUCTION TO MEET OR EXCEED ALL REQUIREMENTS
OF THE 2018 NC RESIDENTIAL BUILDING CODE

- 1. SEE SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL EMERGENCY ESCAPE & RESCUE OPENING REQUIREMENTS.
- SEE SECTION R303 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR LIGHT & VENTILATION REQUIREMENTS.
 SEE SECTION R310.1 & R311 OF THE 2018 NC RESIDENTIAL
- 2. BUILDER & WINDOW SALESMAN TO CONFIRM THAT WINDOWS CHOSEN MEET ALL REQUIREMENTS OF SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE.
- 3. SEE SECTION R308.4 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR GLAZING REQUIREMENTS IN HAZARDOUS LOCATIONS

BUILDING CODE EGRESS REQUIREMENTS.

- 4. PROVIDE FALL PROTECTION AT WINDOWS AS REQUIRED BY 2018 NC RESIDENTIAL BUILDING CODE
- 5. ALL GLASS TO HAVE A U FACTOR OF 0.32 OR BETTER AND SHGC OF .30 OR BETTER.
- 6. SEE CHAPTER 11 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL ENERGY CONSERVATION REQUIREMENTS
- 7. SEE SECTION R302.5 & R302.6 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR DWELLING/GARAGE FIRE SEPARATION REQUIREMENTS
- 8. SEE APPENDIX M OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL DECK CONSTRUCTION
- REQUIREMENTS

 9. PROVIDE CARBON MONOXIDE DETECTORS
 AS PER SECTION R315 OF THE 2018 NC RESIDENTIAL
- BUILDING CODE

 10. PROVIDE CRAWLSPACE ACCESS AS PER SECTION 408.8

 OF THE 2018 NC RESIDENTIAL BUILDING CODE
- LOCATION T.B.D. IN FIELD BY BUILDER.

 11. PROVIDE FOUNDATION DRAINAGE AS PER CODE.

 SEE SECTIONS 405, 801.3 & 401.3 OF THE
- 2018 NC RESIDENTIAL BUILDING CODE.

 12. SEE SECTION R311.7 OF THE 2018 NC RESIDENTIAL
 BUILDING CODE FOR ALL STAIRWAY REQUIREMENTS.

 SEE SECTION R312 OF THE 2018 NC RESIDENTIAL
- SEE SECTION R312 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL GUARD RAIL & HAND RAIL REQUIREMENTS.
- 13. SEE SECTION R307 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL BATH FIXTURE CLEARANCES.

ABBREVIATIONS

CANT.: CANTILEVER
C.O.: CASED OPENING
D.W.: DISHWASHER
W.I.C.: WALK IN CLOSET
SHWR.: SHOWER
DN.: DOWN

CANT.: CANTILEVER
TYP.: TYPICAL
CLG.: CEILING
HGT.: HEIGHT
COL.: COLUMN
TRANS.: TRANSOM


1517 SQ FT HTD (1ST FLOOR) 1133 SQ FT HTD (2ND FLOOR) 2650 SQ FT HTD TOTAL 152 SQ FT (PORCH)
302 SQ FT (DECK)
266 SQ FT (SCR. PORCH)
490 SQ FT (GARAGE)
1210 UNHEATED TOTAL

FIRST FLOOR PLAN

SCALE 1/4"=1'-0" 9'-0" CLG. HGT. SET WINDOWS AT 7'-10" AFF



ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, NOTE: DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE



SECOND FLOOR PLAN SCALE 1/4"=1'-0" 9'-0" CLG. HGT. SET WINDOWS AT 7'-2" AFF

