ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE


#### NOTES:

CONSTRUCTION TO MEET OR EXCEED ALL REQUIREMENTS OF THE 2018 NC RESIDENTIAL BUILDING CODE

- 1. SEE SECTION R310 OF THE 2018 NC
  RESIDENTIAL BUILDING CODE FOR ALL
  EMERGENCY ESCAPE & RESCUE OPENING
  REQUIREMENTS.
  SEE SECTION R303 OF THE 2018 NC RESIDENTIAL
  BUILDING CODE FOR LIGHT & VENTILATION
  REQUIREMENTS.
  SEE SECTION R310.1 & R311 OF THE 2018 NC RESIDENTIAL
  BUILDING CODE EGRESS REQUIREMENTS.
- 2. BUILDER & WINDOW SALESMAN TO CONFIRM THAT WINDOWS CHOSEN MEET ALL REQUIREMENTS OF SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE.
- 3. SEE SECTION R308.4 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR GLAZING REQUIREMENTS IN HAZARDOUS LOCATIONS
- 4. PROVIDE FALL PROTECTION AT WINDOWS AS REQUIRED BY 2018 NC RESIDENTIAL BUILDING CODE
- 5. ALL GLASS TO HAVE A U FACTOR OF 0.32 OR BETTER AND SHGC OF .30 OR BETTER.
- 6. SEE CHAPTER 11 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL ENERGY CONSERVATION REQUIREMENTS
- 7. SEE SECTION R302.5 & R302.6 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR DWELLING/GARAGE FIRE SEPARATION REQUIREMENTS
- 8. SEE APPENDIX M OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL DECK CONSTRUCTION REQUIREMENTS
- 9. PROVIDE CARBON MONOXIDE DETECTORS
  AS PER SECTION R315 OF THE 2018 NC RESIDENTIAL
  BUILDING CODE
- 10. PROVIDE CRAVVLSPACE ACCESS AS PER SECTION 408.8
  OF THE 2018 NC RESIDENTIAL BUILDING CODE
  LOCATION T.B.D. IN FIELD BY BUILDER.
- 11. PROVIDE FOUNDATION DRAINAGE AS PER CODE. SEE SECTIONS 405, 801.3 & 401.3 OF THE 2018 NC RESIDENTIAL BUILDING CODE.
- 12. SEE SECTION R311.7 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL STAIRWAY REQUIREMENTS. SEE SECTION R312 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL GUARD RAIL & HAND RAIL REQUIREMENTS.
- 13. SEE SECTION R307 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL BATH FIXTURE CLEARANCES.
- 14. SEE CHAPTER 10 OF THE NC RESIDENTIAL BUILDING CODE FOR ALL FIREPLACE & CHIMNEY CLEARANCES & REQUIREMENTS.
- 15. ALL ANGLES WALLS ARE 45° U.N.O.


### **ABBREVIATIONS**


C.O.: CASED OPENING D.W.: DISHWASHER W.I.C.: WALK IN CLOSET SHWR.: SHOWER DN.: DOWN CANT.: CANTILEVER
TYP.: TYPICAL
CLG.: CEILING
HGT.: HEIGHT
COL.: COLUMN
TRANS.: TRANSOM




2125

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE







ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE



ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, NOTE: DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE FIBERGLASS SHINGLES AS SPEC. STANDING SEAM METAL ROOF O.H. TYP. U.N.O. 3 . 14" TJI 10'.0"
CEILING HGT.
8'.0"
WINDOW HGT. \_\_\_\_ 8" SQ. COL. PROVIDE STEPS TO GRADE PROVIDE STEPS TO GRADE PROVIDE STEPS TO GRADE 8" SQ. COL: 16" TAPERED COL. ON 24" SQ. x40" HGT. 10" BAND w/ DRIPCAP TYP. BRICK FND. TYP. New Light BRICK PIER RIGHT ELEVATION TYP. SCALE 1/4"=1'-0" Residential Design, L.L.C. 919-880-1287 SHEET J&W CUSTOM HOMES LOT 3 ALABAMA AVE. DURHAM NC DATE: JD DRAWN BY: 11-5-21 OF 8 REVISIONS: PROJECT NO.

2125







ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE


## SECOND FLOOR PLAN


SCALE 1/4"=1'-0" 9'-0" CLG. HGT. SET WINDOWS AT 7'-8" AFF U.N.O.














# CORNICE DETAIL 3/4"=1":0"

### FND VENT CALCS

1254 SQ.FT. / 150 =8.36 SQ.FT. REQ'D

BUILDER TO PROVIDE APPROPRIATE
VENTILATION AS REQUIRED BY CODE
SEE SECTION R408 OF
THE 2018 NC RESIDENTIAL BLDG. CODE

NOTE:

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED
WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE.
THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA
RESIDENTIAL CODE

