
ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, NOTE: DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE



FRONT ELEVATION SCALE 1/4"=1'-0"



REAR ELEVATION
SCALE 1/4"=1'-0"





ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER
BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN,
DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE



LEFT ELEVATION

SCALE 1/4"=1'-0"





ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE

NOTES:

CONSTRUCTION TO MEET OR EXCEED ALL REQUIREMENTS OF THE 2018 NC RESIDENTIAL BUILDING CODE

- 1. SEE SECTION R310 OF THE 2018 NC
- RESIDENTIAL BUILDING CODE FOR ALL EMERGENCY ESCAPE & RESCUE OPENING
- REQUIREMENTS. SEE SECTION R303 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR LIGHT & VENTILATION
- REQUIREMENTS. SEE SECTION R310.1 & R311 OF THE 2018 NC RESIDENTIAL
- BUILDING CODE EGRESS REQUIREMENTS. 2. BUILDER & WINDOW SALESMAN TO CONFIRM
- THAT WINDOWS CHOSEN MEET ALL REQUIREMENTS OF SECTION R310 OF THE 2018 NC RESIDENTIAL BUILDING CODE.
- 3. SEE SECTION R308.4 OF THE 2018 NC
- RESIDENTIAL BLDG. CODE FOR GLAZING REQUIREMENTS IN HAZARDOUS LOCATIONS
- 4. PROVIDE FALL PROTECTION AT WINDOWS AS REQUIRED BY 2018 NC RESIDENTIAL BUILDING CODE
- 5. ALL GLASS TO HAVE A U FACTOR OF 0.32 OR BETTER
- AND SHGC OF .30 OR BETTER.
- 6. SEE CHAPTER 11 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL ENERGY CONSERVATION
- REQUIREMENTS 7. SEE SECTION R302.5 & R302.6 OF THE 2018 NC RESIDENTIAL BLDG. CODE FOR DWELLING/
- GARAGE FIRE SEPARATION REQUIREMENTS 8. SEE APPENDIX M OF THE 2018 NC RESIDENTIAL
- BUILDING CODE FOR ALL DECK CONSTRUCTION REQUIREMENTS 9. PROVIDE CARBON MONOXIDE DETECTORS
- AS PER SECTION R315 OF THE 2018 NC RESIDENTIAL **BUILDING CODE** 10. PROVIDE CRAVVLSPACE ACCESS AS PER SECTION 408.8
- OF THE 2018 NC RESIDENTIAL BUILDING CODE LOCATION T.B.D. IN FIELD BY BUILDER. 11. PROVIDE FOUNDATION DRAINAGE AS PER CODE.
- SEE SECTIONS 405, 801.3 & 401.3 OF THE 2018 NC RESIDENTIAL BUILDING CODE. 12. SEE SECTION R311.7 OF THE 2018 NC RESIDENTIAL
- BUILDING CODE FOR ALL STAIRWAY REQUIREMENTS. SEE SECTION R312 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL GUARD RAIL & HAND RAIL REQUIREMENTS.
- 13. SEE SECTION R307 OF THE 2018 NC RESIDENTIAL BUILDING CODE FOR ALL BATH FIXTURE CLEARANCES. 14. SEE CHAPTER 10 OF THE NC RESIDENTIAL BUILDING CODE FOR ALL FIREPLACE & CHIMNEY CLEARANCES & REQUIREMENTS.

ABBREVIATIONS

CANT.: CANTILEVER
TYP.: TYPICAL
CLG.: CEILING C.O.: CASED OPENING D.W.: DISHWASHER W.I.C. : WALK IN CLOSET SHWR. : SHOWER DN. : DOWN HGT.: HEIGHT COL.: COLUMN TRANS.: TRANSOM

1878 SQ FT HTD (1ST FLOOR) 1674 SQ FT HTD (2ND FLOOR)


39 SQ FT (PORCH) 226 SQ FT (COV. PORCH) 491 SQ FT (GARAGE)

3552 SQ FT HTD TOTAL 756 UNHEATED TOTAL

FIRST FLOOR PLAN


SCALE 1/4"=1'-0"

10'-0" CLG. HGT. SET WINDOWS AT 8'-0" AFF U.N.O.



COPYRIGHT 2023 New Light Residential Design LLC

ALL DIMENSIONS ARE TO BE VERIFIED BY OWNER/BUILDER BEFORE CONSTRUCTION BEGINS. ONCE CONSTRUCTION HAS BEGUN, DESIGNER IS RELEASED FROM ANY AND ALL LIABILITY ASSOCIATED WITH THE CONSTRUCTION OF THIS CUSTOM RESIDENCE. THIS PLAN IS DESIGNED UNDER THE 2018 NORTH CAROLINA RESIDENTIAL CODE



SECOND FLOOR PLAN

SCALE 1/4"=1'-0"

9'-0" CLG. HGT. SET WINDOWS AT 7'-8" AFF U.N.O.

